

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	916	(715/500).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:57
S2	773	(715/500.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:05
S3	248	(715/515).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 16:00
S4	4	"foreign data block"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 10:23
S5	20	("5050078"   "5278955"   "5379366"   "5493607"   "5526518"   "5548753"   "5594837"   "5600833"   "5604788"   "5613108"   "5623011"   "5625670"   "5625816"   "5644706"   "5712901"   "5712903").PN. OR ("5781902").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 10:50
S6	981	embed\$4 with ("data block" "data file")	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 10:51
S7	67	S6 same ("file type" "file format" "data format" "data type")	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 15:33
S8	4648	generat\$3 near2 header	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 15:34
S9	77	S8 with "data block"	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 15:45
S10	1187	"native format" "native data format"	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 15:46

S11	41	"non-native format" "non-native data format"	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 15:47
S12	2	("5452456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:01
S13	1908	(715/513).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:02
S14	969	(715/501.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:02
S15	2534	S13 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:04
S16	1106	S15 and embed\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:37
S17	435	S16 and (header trailer delimiter BOF EOF "end of file" "beginning of file")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:37
S18	268	S15 and (embed\$5 with (file "data block" "data segment"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:37
S19	125	S18 and (header trailer delimiter BOF EOF "end of file" "beginning of file")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:38

S20	126	(715/516).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 09:25
S21	4237	(715/514-517,530,539,540,501.1,513).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 09:26
S22	780	(709/236).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 09:26
S23	5014	S21 S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:27
S24	2537	S23 and (data near2 (block\$2 chunk\$2 packet\$2 segment\$6 portion\$2 partition\$5 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:59
S25	3488	S23 and (data with (block\$2 chunk\$2 packet\$2 segment\$6 portion\$2 partition\$5 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:31
S26	1114	S23 and ((data near2 (block\$2 chunk\$2 packet\$2 segment\$6 portion\$2 partition\$5 file)) same (embed\$6 enclose\$6 encapsulat\$5 nest\$5 contain\$3 container\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:44
S27	94	S26 and ((generat\$3 compos\$5 creat\$3 develop\$3 construct\$3) near2 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:59

S28	250	S23 and ((data near2 (block\$2 chunk\$2 packet\$2 segment\$6 portion\$2 partition\$5 file)) same (embed\$6 enclose\$6 encapsulat\$5 nest\$5 contain\$3 container\$4) same (modif\$5 change\$3 alter\$5 edit\$3 manipul\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:48
S29	126	(715/516).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 09:59
S30	68	S29 and (data near2 (block\$2 chunk\$2 packet\$2 segment\$6 portion\$2 partition\$5 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:22
S31	98	((("5781902") or ("6396828") or ("6301614") or ("6453329") or ("6557043") or ("6571292") or ("6704120") or ("6657568") or ("6697817") or ("6418448") or ("6708164") or ("6718338") or ("4425626") or ("5537592") or ("5832211") or ("5838903") or ("5862323") or ("4870610") or ("5680618") or ("5842002") or ("6289140") or ("6295391") or ("6321334") or ("6380370") or ("6381627") or ("6411966") or ("5986980") or ("6134626") or ("5274772") or ("5335328") or ("5414570") or ("4493021") or ("5345575") or ("5384770") or ("5517611") or ("5982416") or ("6246683") or ("6292868") or ("6370144") or ("6381324") or ("6389031") or ("5572528") or ("6160804") or ("6041358") or ("6256300") or ("6452920") or ("6477644") or ("6496704") or ("6515974") or ("6707809").pn.))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 12:38

S32	94	((("6738362") or ("6747961") or ("6765892") or ("5941998") or ("5371885") or ("5530794") or ("5537628") or ("5608901") or ("5873118") or ("6829473") or ("6067559") or ("6209124") or ("6321265") or ("6370455") or ("6442460") or ("6477565") or ("6498611") or ("6643825") or ("6721618") or ("6751651") or ("6766361") or ("6788648") or ("6801531") or ("6826578") or ("6249794") or ("6012984") or ("6094649") or ("6163811") or ("6223190") or ("6223190") or ("6327608") or ("6336137") or ("6351776") or ("6356920") or ("6393456") or ("6397219") or ("6397232") or ("6426798") or ("6446113") or ("6460042") or ("6463440") or ("6466940") or ("6505086") or ("6529899") or ("6529905") or ("6532473") or ("6535884") or ("6542911") or ("6549922") or ("6571201").pn.")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 12:54
S33	1963	(709/236,246).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 12:54
S34	164	S33 and ((generat\$3 compos\$5 creat\$3 develop\$3 construct\$3) near2 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:14
S35	88	S33 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:36
S36	2	("5079695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 15:10

S37	248	(715/515).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 15:12
S38	46	S37 and "compound document"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:29
S39	70	S37 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 16:36
S40	2	S37 and (header near3 (beginning start BOF))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:30
S41	126	(715/516).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 16:36
S42	29	S41 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:16
S43	82924	opendoc OLE "object linking and embedding"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:17
S44	229	opendoc "object linking and embedding"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:24

S45	98	S44 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:45
S46	1886	object adj embed\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:45
S47	3280	object near1 embed\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:45
S48	629	S47 and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:46
S49	117	S47 and (header with ("beginning of file" BOF start "end of file" EOF end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 13:20
S50	9	((("6601057") or ("6584480") or ("6760840")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 09:42
S51	2	("5079695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:17
S52	25	((("6769096") or ("6760840") or ("67751779") or ("6681372") or ("6601057") or ("6584480") or ("6546406") or ("6538673") or ("6519617") or ("6516321") or ("5937418") or ("5694609")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:18

S53	11	S52 and ((embed\$5 insert\$5 plugin plug-in) with (segment\$4 block chunk fragment piece portion) with (file document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:52
S54	2532	trailer and (header same (beginning end BOF EOF delimiter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:54
S55	51	S54 and "715"/\$5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:43
S56	3277	(scan process) near2 header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:42
S57	61	S56 and "715"/\$5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:21
S58	10301	(trailer footer) near2 (end EOF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:21
S59	19	S58 and "715"/\$5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 12:38
S60	856	embed\$4 with (xml "extensible markup language")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 12:39



S61	5	S60 and "compound document"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 12:40
-----	---	-----------------------------	---	----	----	------------------




[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar**Results 1 - 10 of about **5,730** for **embedded data compound document**. (0.06 seconds)**OOE: A Compound Document Framework**BE Backlund, B Storage, D Transport, GU Interface, ... - [Cached](#) - [Cited by 3](#) - [Web Search](#)... An editable **compound document** stores the **embedded data** in a way so that it is possible to edit the **data** using, preferably, the application which created it in ...SIGCHI Bulletin, 1997 - [acm.org](#) - [acm.org](#) - [cwi.nl](#) - [portal.acm.org](#) - [all 5 versions](#) »**[PDF] Frameworks for Component-Based Client/Server Computing**SM Lewandowski... - [Cited by 105](#) - [Web Search](#)... The **embedded** components displayed by the browser reside in ... event when it has spooled a **document** to a ... server applications when separation of **data** is important. ...ACM Computing Surveys, 1998 - [portal.acm.org](#) - [swt.edu](#) - [cis.upenn.edu](#) - [arthur.cs.ucdavis.edu](#) - [all 21 versions](#) »**[PDF] CoCoDoc: A framework for collaborative compound document editing based on OpenDoc and CORBA**GH ter Hofte, HJ van der Lugt - [View as HTML](#) - [Cited by 10](#) - [Web Search](#)... and (limited) editing of **embedded** (or 'contained ... Moreover, updates in contained **data** require dynamic ... The benefits of the **compound document** approach, compared ...Open distributed processing and distributed platforms: ..., 1997 - [telin.nl](#) - [trc.nl](#) - [doc.freeband.nl](#) - [portal.acm.org](#) - [all 7 versions](#) »**[PS] Opportunities for bandwidth adaptation in Microsoft Oce documents**E de Lara, DS Wallach, W Zwaenepoel - [View as HTML](#) - [Cited by 11](#) - [Web Search](#)... to **document** size. This **data** strongly suggests that eorts to improve access to **compound** docu- ments should focus on the image and the **embedded** component **data**. ...Procceedings of the 4th USENIX Windows Systems Symposium, ..., 2000 - [db.usenix.org](#) - [usenix.org](#) - [usenix.org](#)**[PDF] Meme media and a world-wide meme pool**Y Tanaka - [Cited by 16](#) - [Web Search](#)... local pads, or even with those **embedded** in other ... is meant not only a **data** communication linkage ... architecture adopted the reactive **compound-document** model and ...ACM Multimedia'96, 1996 - [portal.acm.org](#) - [portal.acm.org](#)**[PDF] MobiDoc: A Framework for Building Mobile Compound Documents from Hierarchical Mobile Agents**I Satoh - [Cited by 15](#) - [Web Search](#)... 4.2 Agent Model In our **compound document** framework, each ... services defines various APIs for components **embedded** within the ... 13: byte[] create(byte[] **data**) throws ...Proceedings of Symposium on Agent Systems and Applications/ ..., 1882 - [springerlink.com](#) - [research.nii.ac.jp](#) - [portal.acm.org](#) - [portal.acm.org](#)**[PDF] An Open Environment for the Integration of Heterogeneous Modelling Techniques and Tools**R Bussow, W Grieskamp, W Heicking, S Herrmann - [View as HTML](#) - [Cited by 4](#) - [Web Search](#)... world, and cannot smoothly be **embedded** in broader ... We support a notion of a **compound** heterogeneous specication ... 2 . We dene several uniform **data** formats, which ...Proc. of Intl. Workshop on Current Trends in Applied Formal ... - [first.gmd.de](#) - [swt.cs.tu-berlin.de](#) - [tfs.cs.tu-](#)

[berlin.de](#)

**[PDF] Why Color Management?**

JC King - [View as HTML](#) - [Cited by 1](#) - [Web Search](#)

... it is best to reduce your **data** in this ... **Embedded** input profiles Two way conversions while displaying ... one for each different element of the **compound document**. ...

Adobe System Incorporated, URL: <http://www.color.org/> ... - [color.org](#) - [ssi-net.com](#) - [givemehelp.com](#) - [adsabs.harvard.edu](#) - [all 5 versions »](#)

**Verdantium towards a Java-enabled compound document model (poster session)**

T Green - [Web Search](#)

... Verdantium towards a Java-enabled **compound document** model (poster session). ... For instance, a visually **embedded** component might be ... can load or save **data** of more ...

Conference on Object Oriented Programming Systems Languages ..., 2000 - [portal.acm.org](#) - [portal.acm.org](#)

**COMPOUND DOCUMENTS**

RMAcc Technologies - [Web Search](#)

... Nested containment. This means that linked or **embedded data** can be contained within other **data** that are linked or **embedded** within the **compound document**. ...

[doi.ieeecs.org](#) - [doi.ieeecomputersociety.org](#)

Google

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

[Google Home](#) - [About Google](#)

©2005 Google